



# Alloy Steel




Galvalume Steel Coil



Galvalume Steel Coil



Galvalume Steel Sheet



## Galvalume Steel Coil

Contact Sales Manager

Name: Micky

Email: sales@zhejiangcathayatrade.com

MOQ: 50 MT

### Product Detail

Product Name	Galvanized Steel Coil, Galvanised Steel Coil, Zinc Coated Steel Coil, GI, HDGI Galvalume Steel Coil, Aluzinc Steel Coil, Zinc Aluminum Steel Coil, GL, HDGL
Standard	EN10147, EN10142, DIN 17162, JIS G3302, ASTM A653
Steel Grade	Dx51D, Dx52D, Dx53D, DX54D, S220GD, S250GD, S280GD, S350GD, S350GD, S550GD; SGCC, SGHC, SGCH, SGH340, SGH400, SGH440, SGH490, SGH540, SGCD1, SGCD2, SGCD3, SGC340, SGC340, SGC490, SGC570; SQ CR22 (230), SQ CR22 (255), SQ CR40 (275), SQ CR50 (340), SQ CR80(550), CQ, FS, DDS, EDDS, SQ CR33 (230), SQ CR37 (255), SQCR40 (275), SQ CR50 (340), SQ CR80 (550); or As Requirement
Type	Coil/Sheet/Plate/Strip
Material	CGCC/SGCH/G350/G450/G550/DX51D/DX52D/DX53D
Thickness	0.12mm-4.0mm or 0.8mm/1.0mm/1.2mm/1.5mm/2.0mm
Width	600mm-1500mm or 914mm/1000mm/1200mm/1219mm/1220mm
Zinc Coating	Z30g/m <sup>2</sup> -Z350g/m <sup>2</sup>
Surface Structure	Normal spangle coating(NS), minimized spangle coating(MS), spangle-free(FS)
Coil Weight	3 Tons -8Tons
Coil ID	508mm/610mm

## Product Description




The main features of galvanized coil are: strong corrosion resistance, good surface quality, easy processing, economical and practical, etc.

There are beautiful spangles on the surface, which can be used as building exterior wall panels.



good appearance and surface quality,  
Suitable for all-weather construction,  
Little affected by climatic conditions

# Product Display



# Packing&Shipping



## Widely Application



Galvalume coils are widely used Construction: roofs, walls, garages, etc. Automobile: muffler, exhaust pipe, etc. Household appliances: air conditioners, Electronic microwave oven, etc. Agriculture: pig house, chicken house, Granary etc.

	<h2 style="margin: 0;">Galvalume Steel Sheet</h2> <p style="margin: 10px 0 0 0;">Contact Sales Manager</p> <p style="margin: 10px 0 0 0;">Name: Micky</p> <p style="margin: 10px 0 0 0;">Email: sales@zhejiangcathayatrade.com</p> <p style="margin: 10px 0 0 0;">MOQ: 50 MT</p>
---	--

Product Detail	
<b>Product Name</b>	High Quality Hot Dipped Galvanized Steel Galvalume Coil/Sheet/Plate/Strip
<b>Material</b>	10#, 20#, 45#, 16Mn, A53(A,B), Q235, Q345, Q195, Q215, St37, St42, St37-2, St35.4, St52.4, ST35
<b>Wall Thickness</b>	0.15MM~4MM
<b>Outer Diameter</b>	50MM~1500MM
<b>Length</b>	Length:Single random length/Double random length 5m-14m,5.8m,6m,10m-12m,12m or as customer's actual reques
<b>Standard</b>	API 5L, ASTM A53-2007, ASTM A671-2006, ASTM A252-1998, ASTM A450-1996, ASME B36.10M-2004, ASTM A523-1996, BS 1387, BS EN10296, BS 6323, BS 6363, BS EN10219, GB/T 3091-2001, GB/T 13793-1992, GB/T9711
<b>Grade</b>	10#-45#, 16Mn, A53-A369, Q195-Q345, ST35-ST52
<b>Section Shape</b>	Grade A, Grade B, Grade C
<b>Technique</b>	Square, Rectangular, Round,
<b>Packing</b>	Galvanized Metal Coil
<b>Pipe Ends</b>	Bundle, or with all kinds of colors PVC or as your requirements
<b>MOQ</b>	Plain end/Beveled,protected by plastic caps on both ends, cut quare,grooved,threaded and coupling,etc.
<b>Surface Treatment</b>	1 Tons, more quantity price will be lower
<b>Product Application</b>	<ol style="list-style-type: none"> <li>1. Galvanized</li> <li>2. PVC,Black and color painting</li> <li>3. Transparent oil,anti-rust oil</li> <li>4. According to clients requirement</li> </ol>
<b>Product Application</b>	<ol style="list-style-type: none"> <li>1. Fence, greenhouse, door pipe,greenhouse</li> <li>2. Low pressure liquid, water, gas, oil, line pipe</li> <li>3. For both indoor and outdoor the building construction</li> <li>4. Widely used in scaffolding construction which is much cheaper and convenient</li> </ol>

<b>Origin</b>	Tianjin China
<b>Certificates</b>	API ISO9001-2008,SGS.BV
<b>Delivery Time</b>	Usually within 10-45 days after receipt of advance payment



## FAQ

### **Q: What about the quality control in your factory ?**

A: We have our own laboratory, also our own quality control system and professional quality inspectors. We will ship the products after strictly quality inspection.

### **Q: How does your price quote ?**

A: 1. Lowest material cost in best quality.

2. All the products are designed and produced by ourselves to save products' cost.

3. Quote the price in hours with the best price to help the partner to open the market.

### **Q: Do you support OEM or ODM?**

A: Yes! We accept client's design and we produce according to each client's requirement.

### **Q: What about the payment terms?**

A: Our normal payment terms is 30% T/T as the prepayment and 70% balance need to be paid off before shipment, we also could accept L/C for client who have been familiar with our factory for a few years .

### **Q: Do you provide samples ? Does it free or charge ?**

A: Yes, we could offer the sample for free, but the shipping cost will be charged in your hand.